



ALLNET Touch Display Tablet 8 inch PoE with 4GB/32GB, RK3566 Android 13, flush-mounted box

>>> Go to the shop article



EAN CODE



Built-in touch display on flush-mounted box with Rockchip RK3566 CPU and Android. 4GB RAM / 32GB memory. Expandable via USB and SD cards. Resolution 800x1280, PoE (Power over Ethernet).

The display is fixed with a frame in a flush-mounted box and placed flat on the wall. It can be mounted on round and square flush-mounted boxes.

The display is specially designed for applications in home automation, visualisation and building control as well as for mounting in control cabinets or for table-top installation.

It is always advisable to test the devices for special applications in the long term to ensure all the required functions. Special feature: Power supply 12-24V DC or PoE 15.4 watts. No power supply unit included in the scope of delivery.

The display is also suitable as a meeting room display or for home automation to visualise certain conditions thanks to the integrated LED strip on the sides.

[Help for HTTP control via GET command can be found here:](#)

Model NO. UD-8RK3566A11		
Product Type	8.0" POE LED Display	
Description		
System	CPU/GPU	Rockchip RK3566 quad core processor, CPU – Quad-core Arm Cortex-A55, GPU – Mali-G52EE GPU



Part No.: 210249
Vendor Part No.: UD8RK3566A13

	RAM	4GB
	ROM	32GB
	System	Android 13
Display	screen	8.0 inch IPS panel
	resolution	1280x800 Wide viewing
	Contrast	1000
	Brightness	300nits
	Touch function	5-point capacitive multi-touch screen
Network	WiFi	802.11a/b/g/n 2.4/5GHz
	Ethernet	POE 15.4 Watt IEEE802.3af 100/1000M
	Bluetooth	YES Bluetooth 5.0
	3G	no
Jack	SD	Support TF card (Max 64G)
	USB	USB Host/ USB-C OTG (Upgrade)
	USB Host	USB host
	RJ-45	built in
	Power	DC input 12-24V
	RS485	2 PIN RS485
Multimedia	Video	Video decode - H.264/H.265/VP9 Video encode - 1080p60 H.264/H.265
	Audio	MP3/WMA/AAC etc.
	Picture	jpeg, jpg
other functions	Wireless mouse	Support
	Wireless keyboard	Support
	Speak	1x1W
	Camera	2MP
	OSD Language	Multi language OSD operation
attachment	Adapter	no
	Wall bracket	yes
	Vesa	no
	Dimensions	Dimensions: 200 mm x 124.59 mm x 37.7 mm

Attributes

Attribute	Value
Abmessung:	200x124.59x37,7mm
Arbeitsspeicher (RAM):	2
Auflösung Panel:	1280x800
Betriebssystem:	Android 11
Bluetooth:	ja
Chipset:	RK3566
Diagonale:	8;
Einsatzbereiche:	Indoor
Farbe Displayrand:	schwarz
Farbe Gehäuse:	schwarz;
Hauptspeicher:	16
IP Schutzklasse Display:	IP 20
Kamera:	ja
Mobilfunk:	nein
Montageart:	Unterputzdose rund;Unterputzdose eckig;
Produktart:	Tablet
SIP Einbindung:	nein
Stromversorgung:	PoE&Netzteil
Touchscreen:	Capacitiv
WLAN:	2,4/5
Weight:	0.63 Kg
Warranty:	12.00 Months

Accessories

Part No.	Name
186548	ALLNET PoE Injector Gigabit PoE & PoE+ (15,4W/30W) / plastic
138516	ALLNET ALL-SG8245PM / managed 5 Port Gigabit Switch, 4x PoE
206389	ALLNET Ersatznetzteil 12V/2,5A Unterputznetzteil rund Standa