


## Synergy 21 LED Flex Strip 60 WW DC12V 72W IP68 CRI>90



kwh/1000h:	72,00
Lumens:	4500
Watt:	72,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



LED Flex Strip warm white,  
DC12V, max. 6A, 72W,  
300Leds, 120°, 5050SMD  
CRI>90  
Length: 5000\*12.9\*5mm,  
Lumen: 4500  
3000K ±250  
with mounting tape  
outdoor, filled tube, IP68  
coolable: every 5 cm or every 3 LEDs  
open cable end

Suitable up to -25°C!

Energy efficiency class: A  
kWh/1000h: 72

Please note that LED strips must also be cooled.  
Make sure that the LED strip does not exceed the operating temperature of 40°C, otherwise the service life cannot be guaranteed.

### Attributes

Attribute	Value
Abstrahlwinkel:	120
Ampere:	6
CC oder CV:	CV
CRI:	>90
Dimmbar:	abhängig vom Netzteil
Länge:	5
LED Strip Klebeband:	ja
LED Strip Breite:	12.90
LED Strip Höhe:	5
LED Strip Klebeband:	ja
LED Strip kürzbar:	50
LED Strip Länge:	5000
Lichtfabe in Kelvin:	3000
Lichtfarbe:	warmweiß
Lichtfarbe in Kelvin:	3000
Lichtfarbe Name:	warmweiß
Lumen:	4500
Schutzklasse:	IP68
Volt:	12
Weight:	0.1 Kg
Warranty:	60.00 Months

## Accessories

Part No.	Name
81069	Synergy 21 LED zub Hollow Socket with Screw Terminals
81068	Synergy 21 LED zub wooden plug with screw terminals
81741	Synergy 21 LED Flex Strip add. Silicone mounting clip 10 pack
148726	Synergy 21 - Waterproof connector 1:1
148727	Synergy 21 - Waterproof connector 1:2

Part No.	Name
148730	Synergy 21 - Waterproof connector box 3 ports
148729	Synergy 21 - Waterproof connector box 3 ports transparent
148728	Synergy 21 - Waterproof connector box 4 ports
139522	Mean Well power supply - 12V 120W IP67