




09:30^{AM}
Tue, Nov, 26

Today's meetings and events

Meeting Room 1	08:00 – 09:00 – Daily Standup
	12:15 – 02:00 – Marketing Kick-Off
Meeting Room 2	08:30 – 11:30 – Sales meeting with client
Showroom	Available
Showroom	Available
Showroom	Available



	Type	Testé
1	ISO14443A	OK
2	ISO14443B	OK
3	ISO 15693	OK
4	Mifare Classic	OK
5	Mifare Classic 4K	OK
6	Mifare Classic 8K	OK
7	Mifare Ultralight	OK
8	Sony Felica	OK
9	MIFARE DESFire EV2	OK
10	MIFARE DESFire EV1	OK

Système	CPU	Quad-core ARM Cortex-A55, Neon et FPU
	RAM	4GB
	Internal memory	16GB
	Operation system	11



No. d'article: 213191
 Numéro de fabricant: MeetTwo-100bl

	Touch screen	10-Point capacitive touch
Display	Panel	10.1" ; ; panneau LCD IPS
	Résolution	1280x800
	Active area	216.96(H)x135.6mm(V)
	Display mode	Normally black ,IPS
	Viewing angle	85/85/85(L/R/U/D)
	Contrast ratio	800
	Luminance	250cd/m2
	Aspect Ratio	16:10
Network	WiFi	802.11a/b/g/n 2,4/5GHz
	Ethernet	100M/1000M ethernet
	Buletooth	Bluetooth 4.0
Interface	Card slot	SD card
	USB	USB Host
	Micro USB	Micro USB OTG
	USB	USB pour série
	RJ45 avec POE	RJ45
	POE	IEEE802.3at/af
	Power jack	DC power input
	Earphone	3.5mm earphone + Micphone
Media play	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc,support jusqu'à ; 4K
	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg
	VESA	75x75mm
	Présentateur	2*1.5W
	LED Light bar	LED Light bar
	Camera	2.0M/P,Front camera
	Working temp	0--40degree
	Certificats	CE/FCC/RoHS
	Language	Multi-langue
Accessories	Adaptateur	Adaptateur,12V/1.5A
	User manual	yes

Attributs

Attribut	Valeur
Abmessung:	273,7 x 189,7 x 30,2
Alternative Betriebssysteme:	Linux;
Arbeitsspeicher (RAM):	4
Auflösung Panel:	1280x800
Betriebssystem:	Android 11
Bluetooth:	ja
Chipset:	RK3568
Diagonale:	10
Einsatzbereiche:	Indoor
Farbe Displayrand:	schwarz
Farbe Gehäuse:	schwarz;
Hauptspeicher:	16
Kamera:	ja
Montageart:	Vesa 75x75;
NFC&RFID:	13,56MHz
Produktart:	Tablet
Stromversorgung:	PoE&Netzteil
Touchscreen:	Capacitiv
WLAN:	2,4&5
Poids:	2 Kg
Garantie:	24.00 Mois

Accessoires

No. d'article	Désignation
133125	ALLNET Passives Injektor Adapter Kabel Set DC Hohlstecker Adapter 5.5 mm gerader Stecker
112270	ALLNET ALL048900V2 / Power over Ethernet Injector AT++ 90W
186548	ALLNET Injeteur PoE Gigabit PoE & PoE+ (15,4W/30W)
235428	ALLNET PoE Injector MultiGigabit • PoE bt 90W • 1G/2.5G/5G/10G PoE & PoE bt



No. d'article: 213191
Numéro de fabricant: MeetTwo-100bl

No. d'article	Désignation
	(15,4W/30W/60W/90W) • metal housing • wall mounting • ALL-PI103MG-BT90-10G
209413	ALLNET Ersatznetzteil 12V/1,5A 4,0mm Hohlstecker Adpater EU/US/UK
248961	ALLNET Medical Tablet zbh. Netzteil 12V/2000mA 4.0mm Stecker