


## ALLNET Meetingroom RGB LED Tablet 8 inch RK3568, 8GB/32GB, Wifi 6,Android 11, NFC, color black

>>> [Go to the shop article](#)



### EAN CODE



**ALLNET meeting room RGB LED tablet 8 inch RK3568 Android 11 and NFC, colour black , compatible with ReinerSCT**

Includes power supply unit and integrated snap-in wall mount with theft protection. RGB LED for displaying e.g. warning signals, occupancy of meeting rooms etc.

The NFC also makes it very easy to implement time recording terminals or info terminals with ID, such as multi-party residential complexes.

We are happy to provide the API/SDK for NFC/RFID and LED on request.

For further information, please refer to the NFC data sheet.

|         |                  |                                  |
|---------|------------------|----------------------------------|
| System  | CPU              | RK3568,Quad-core cortex A55,1.6G |
|         | RAM              | 8GB                              |
|         | Internal memory  | 16GB                             |
|         | Operation system | Android 11                       |
| Display | Touch screen     | 10-Point capacitive touch        |
|         | Panel            | 8" LCD panel                     |
|         | Resolution       | 1280*800                         |
|         | Active area      | 217.4(H)x136.4mm(V               |



|             |                |                                                               |
|-------------|----------------|---------------------------------------------------------------|
|             |                | )                                                             |
|             | Display mode   | Normally black ,IPS                                           |
|             | Viewing angle  | 85/85/85/85/85(L/R/U/D)                                       |
|             | Contrast ratio | 800                                                           |
|             | Luminance      | 280cd/m2                                                      |
|             | Aspect Ratio   | 16:10                                                         |
| Network     | WiFi           | 2.4/5GHz<br>802.11a/b/g/n                                     |
|             | Ethernet       | 100M/1000M<br>ethernet                                        |
|             | Buletooth      | Bluetooth 5.0                                                 |
| Interface   | Card slot      | SD card                                                       |
|             | USB            | USB Host                                                      |
|             | Micro USB      | Micro USB OTG                                                 |
|             | USB            | USB for serial                                                |
|             | RJ45 with POE  | RJ45                                                          |
|             | POE            | IEEE802.3at                                                   |
|             | Power jack     | DC power input                                                |
|             | Earphone       | 3.5mm earphone                                                |
| Media play  | Video format   | MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K |
|             | Audio format   | MP3/WMA/AAC etc.                                              |
|             | Photo          | jpeg, png, etc.                                               |
| Other       | VESA           | 204.5mm                                                       |
|             | NFC            | NFC with 13.56MHz                                             |
|             | Camera         | 2.0M/P,Front camera                                           |
|             | Microphone     | Microphone                                                    |
|             | Speaker        | 2*1.5W                                                        |
|             | LED Light bar  | LED light bar with RGB and mixed colour                       |
|             | Working temp   | 0--40degree                                                   |
|             | Certificates   | CE/FCC/RoHS                                                   |
|             | Language       | Multi-language                                                |
| Accessories | Adapter        | Adapter,12V/1.5A                                              |

|                                |          |      |                                |       |      |                 |       |       |
|--------------------------------|----------|------|--------------------------------|-------|------|-----------------|-------|-------|
|                                |          |      | User manual                    |       |      | yes             |       |       |
|                                |          |      |                                |       |      |                 |       |       |
| Unit<br>(Without<br>packaging) |          |      | Giftbox<br>(With<br>Packaging) |       |      | Carton 5pcs/CTN |       |       |
| L                              | W        | H    | L                              | W     | H    | L               | W     | H     |
| 259.36mm                       | 178.36mm | 28mm | 390mm                          | 220mm | 68mm | 405mm           | 363mm | 240mm |
| Net(kg)                        | 0.74KG   |      | Net(kg)                        | 2.3KG |      |                 |       |       |

## Attributes

| Attribute                    | Value                  |
|------------------------------|------------------------|
| Alternative Betriebssysteme: | Linux;                 |
| Arbeitsspeicher (RAM):       | 8                      |
| Auflösung Panel:             | 1280x800               |
| Betriebssystem:              | Android 13             |
| Bluetooth:                   | ja                     |
| Chipset:                     | RK3568                 |
| Diagonale:                   | 8                      |
| Einsatzbereiche:             | Indoor                 |
| Farbe Displayrand:           | schwarz                |
| Farbe Gehäuse:               | schwarz;               |
| Hauptspeicher:               | 32                     |
| IP Schutzklasse Display:     | IP 20                  |
| Kamera:                      | 5MP                    |
| Mobilfunk:                   | nein                   |
| Montageart:                  | integrierte Halterung; |
| NFC&RFID:                    | 13,56MHz/125KHz        |
| Produktart:                  | Tablet                 |
| Stromversorgung:             | PoE&Netzteil           |
| Touchscreen:                 | kapazitiv              |
| WLAN:                        | 2,4&5                  |
| Weight:                      | 0.665 Kg               |



Part No.: 221106  
Vendor Part No.: MeetOne-080

| Attribute | Value        |
|-----------|--------------|
| Warranty: | 12.00 Months |

## Accessories

| Part No. | Name                                                              |
|----------|-------------------------------------------------------------------|
| 209413   | ALLNET Ersatznetzteil 12V/1,5A 4,0mm Hohlstecker Adpater EU/US/UK |
| 248961   | ALLNET Medical Tablet zbh. Netzteil 12V/2000mA 4.0mm Stecker      |