


Synergy 21 LED light panel rund 18W 3000K/4000K/6500K CCT einstellbar TRIAC dimmbar



kwh/1000h:	18,00
Lumens:	1400
Watt:	18,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



LED panel round
Suitable for flush-mounted AND surface-mounted installation
Flush-mounted hole size: 65-205mm adjustable

Power consumption : 18Watt
Frame colour: white
Number of LEDs: 120LEDs
Number of lumens: 1400lm-1620lm
Warm white: 3000K-6500K, RA>80
Beam angle 110°
Operating temperature: -20° to +40°
Power supply: AC220-240V, TRIAC dimmable
Outer diameter: 220mm
Installation diameter: 65-205mm adjustable or surface mounting
Height: 18mm

kWh/1000h: 18


Attributes

Attribute	Value
Abstrahlwinkel:	120

Attribute	Value
CC oder CV:	CC
CRI:	>80
Dimmbar:	TRIAC
Grösse:	230*15
LED - Gehäusefarbe:	weiß
LED - Gehäusematerial:	Aluminum
Lichtfarbe:	warmweiß
Lichtfarbe in Kelvin:	3000
Lumen:	1400
Schutzklasse:	IP41
Weight:	0.54 Kg
Warranty:	24.00 Months

Additional Images





Accessories

Part No.	Name
120373	Wago Serie 221 - 2*4mm (100 Stück)
211954	Wago Serie 221 - Durchgangsverbinder -2*4mm (60Stück)