




No. d'article: 201246  
Numéro de fabricant: ALLTAB-10RK3566A11PoE

## ALLNET Touch Display Tablet 10 Zoll PoE mit 2GB/16GB, RK3566



### EAN CODE



Advertising ALLinOne PC with Rockchip RK3566 CPU and Android 11. 2GB Ram / 16GB memory. Expandable by USB and SD cards. Resolution 1200x800, PoE (Power over Ethernet).

The RK3566 is a new processor from Rockchip and is optimal for visualisations displays and multimedia applications.

The power touch button in the front can be deactivated by software.

New function via firmware update: It is now possible in the software to switch to an ext. wifi stick with Wifi AC (optional only with ALL-WA0300AC). Hereby the WLAN speed and bandwidth can be increased and the reception can be improved. For the firmware update, please email to [support@allnet.de](mailto:support@allnet.de).

<b>Model NO. ALLTAB-10RK3566A11PoE</b>		
<b>Product Type</b>	<b>10,1" POE</b>	
<b>Description</b>		
<b>System</b>	CPU/GPU	Rockchip RK3566 quad core processor, CPU – Quad-core Arm Cortex-A55, GPU – Mali-G52EE GPU
	RAM	2GB
	ROM	16GB
	System	Android 11
<b>Display</b>	screen	10,1 Zoll IPS Panel



No. d'article: 201246  
 Numéro de fabricant: ALLTAB-10RK3566A11PoE

	resolution	1200x800 Wide viewing
	Contrast	1000
	Brightness	500nits
<b>Network</b>	WiFi	802.11a/b/g/n 2,4/5GHz
	Ethernet	POE
	Bluetooth	YES
	3G	Support external 3G USB dongle
<b>Jack</b>	SD	Support SD card ( Max 32G )
	Mini USB	Mini USB
	USB Host x 3	USB Host 3.0/2.0
	RJ-45	built in
	DC	DC input
	Headset	3.5mm stereo headphone/micro output
<b>Multimedia</b>	Video	Video decode – H.264/H.265/VP9 Video encode – 1080p60 H.264/H.265
	Audio	MP3/WMA/AAC etc.
	Picture	jpeg, jpg
<b>other functions</b>	Wireless mouse	Support
	Wireless keyboard	Support
	Speak	2Wx2
	Camera	2 million pixel camera
	OSD Language	Multi language OSD operation
<b>attachment</b>	Adapter	12V/2A
	Desktop Bracket	Standard
	Vesa	75x75mm

**Limitations:**


The tablets cannot be compared with tablets from the main brands. The Android is based on AOSP. Apps from the Playstore may therefore not always work or are only

only released for cell phones by the developers. The device has root rights.

**Attributs**


Attribut	Valeur
Arbeitsspeicher (RAM):	2
Betriebssystem:	Android 11
Bluetooth:	ja
Chipset:	RK3566
Diagonale:	10
Einsatzbereiche:	Indoor
Farbe Displayrand:	schwarz
Farbe Gehäuse:	weiß
Hauptspeicher:	16
Kamera:	ja
Montageart:	Vesa 75x75;
Produktart:	Tablet
SIP Einbindung:	nein
Stromversorgung:	PoE&Netzteil
Touchscreen:	Capacitiv
Poids:	1.14 Kg
Garantie:	12.00 Mois

## Images supplémentaires





No. d'article: 201246  
Numéro de fabricant: ALLTAB-10RK3566A11PoE





No. d'article: 201246  
Numéro de fabricant: ALLTAB-10RK3566A11PoE

## Accessoires

No. d'article	Désignation
104257	VESA Wandhalterung Flepo - omicron-1 für Tablet, Monitore
104258	VESA Wandhalterung Flepo - omicron-2 für Tablet, Monitore
146334	VESA wall mount for tablet, monitors very flat with securing
186548	ALLNET Injeteur PoE Gigabit PoE & PoE+ (15,4W/30W)
112270	ALLNET ALL048900V2 / Power over Ethernet Injector AT++ 90W
138516	ALLNET ALL-SG8245PM / commutateur Gigabit 5 ports géré, 4x P
157678	ALLNET Touch Display Tablet zbh. Schrauben Set 4xM3 u. 4xM4 zur Befestigung an Vesa Halterung
168029	ALLNET ALL-WCL1200AC / 1200Mbit Wireless Client
198301	VESA Standfuß Halterung höhenverstellbar für Tablet, Display
198302	VESA Standfuß Halterung höhenverstellbar für Tablet, Display
149144	VESA Adapterplatte Mini-PC an VESA Monitor-Halterung
161472	VESA Desktop Standfuß Halterung Flex für Tablet, Display, Mo
174452	VESA desktop stand mount Flex for tablet
194991	
194992	
194993	
194994	
195007	ALLNET Touch Display Tablet 10 Zoll zbh. Wandmontage Einbaurahmen für Unterputz/Hohlraum aufliegend
200553	
200554	
206389	ALLNET Ersatznetzteil 12V/2,5A Unterputznetzteil rund Standa
209843	ALLNET Touch Display Tablet 10 Zoll zbh. Wandmontage Einbaurahmen für Unterputz/Hohlraum aufliegend *Reduziert*
200763	ALLNET Wireless AC USB WLAN Stick Dongle ALL-WA0300AC