


## Synergy 21 LED Retrofit GU10 7W ww dimmbar V3



kWh/1000h: 7,00

Lumen: 695

Watt: 7,0

Nennlebensdauer: 35000 Std.

Schaltzyklen: 15000

Opt. Umgebungstemp.: 25 °C



Socket: GU10  
Lumen: 695lm  
Kelvin: 2750K ±250  
Light color: warm white  
CRI > 82  
Dimmable: yes  
Operating voltage: 220-240V  
Power consumption: 7 W  
Beam angle: 40°  
Protection class: IP40  
Diameter: 50mm  
Height without pins: 52mm  
Height with pins: 58mm  
Weight: 69g  
COB LED, ALU-housing

Please note that the Synergy21 LED Retrofit light fixture can only be operated at a temperature between 0-50 °C. In case of deviations, the lifetime of the LEDs cannot be guaranteed!

Energy efficiency class: A+  
kWh/1000h: 7

## Weitere Bilder



## Zubehör

Art.-Nr.	Name
148575	Synergy 21 by Casambi CBU-TED - triac dim
90378	Synergy 21 LED Demo Board GU10 / GX5,3
88209	Synergy 21 LED Adapter / Fassung für LED-Leuchtmittel Gu10
124215	Synergy 21 LED Retrofit GU10 / GX5,3 Deckeneinbausatz IP65
124217	Synergy 21 LED Retrofit GU10 / GX5,3 Deckeneinbausatz IP65 weiss
124600	Synergy 21 LED Retrofit GU10 / GX5,3 Deckeneinbausatz D01-silber
124619	Synergy 21 LED Retrofit GU10 / GX5,3 Deckeneinbausatz D03-silber
124628	Synergy 21 LED Retrofit GU10 / GX5,3 Deckeneinbausatz D04-weiß
124629	Synergy 21 LED Retrofit GU10 / GX5,3 Deckeneinbausatz D05-silber
124630	Synergy 21 LED Retrofit GU10 / GX5,3 Deckeneinbausatz D06-weiß
124635	Synergy 21 LED Retrofit GU10 / GX5,3 Deckeneinbausatz D07-silber
124636	Synergy 21 LED Retrofit GU10 / GX5,3 Deckeneinbausatz D08-weiß
124637	Synergy 21 LED Retrofit GU10 / GX5,3 Deckeneinbausatz D09-silber
124638	Synergy 21 LED Retrofit GU10 / GX5,3 Deckeneinbausatz D10-weiß
150705	Synergy 21 LED Fassung GU10 Deckenmontage

Art.-Nr.	Name
150706	Synergy 21 LED Fassung GU10 Deckenmontage schwenkbar
150707	Synergy 21 LED Fassung GU10 Deckenmontage abgehängt
150709	Synergy 21 LED Track-Serie GU10 Fassung 02 für Stromschiene