



Synergy 21 LED Track Serie Doppelschienenleuchten 2x25W schwenkbar warmweiss



kwh/1000h:	48,00
Lumen:	7200
Watt:	48,0
Nennlebensdauer:	35000 Std.
Schaltzyklen:	50000
Opt. Umgebungstemp.:	25 °C



Produktname: Double Track Lights
 Leistung: 2x25W Einstellbar
 Gehäusefarbe: Weiß
 Eingangsspannung: AC230V 50HZ Philips
 Lichtausbeute: =90%
 Lichtquelle: CREE COB-LEDs
 Helligkeit: 100-110LM/W
 Abstrahlwinkel: 40°
 Farbtemperatur: 3000K
 Lebensdauer: 50 000 Stunden.
 Farbwiedergabeindex, Ra>80/90
 Abmessungen: Dia85xH105mm

Merkmale

Merkmal	Wert
Abstrahlwinkel:	60
CRI:	90
Dimmbar:	nein
EPREL_ANTI_GLARE_SHIELD:	false

Merkmal	Wert
EPREL_BEAM_ANGLE:	40
EPREL_BEAM_ANGLE_CORRESPONDENCE:	NARROW_CONE_90
EPREL_CHROMATICITY_COORD_X:	0.429
EPREL_CHROMATICITY_COORD_Y:	0.397
EPREL_CLAIM_EQUIVALENT_POWER:	false
EPREL_COLOUR_CONSISTENCY:	3
EPREL_COLOUR_RENDERING_INDEX:	90
EPREL_COLOUR_TUNEABLE_LIGHT_SOURCE:	false
EPREL_CONNECTED_LIGHT_SOURCE:	false
EPREL_CORRELATED_COLOUR_TEMP:	3000
EPREL_CORRELATED_COLOUR_TEMP_TYPE:	SINGLE_VALUE
EPREL_DIMENSION_DEPTH:	57
EPREL_DIMENSION_HEIGHT:	95
EPREL_DIMENSION_WIDTH:	400
EPREL_DIMMABLE:	NO
EPREL_DIRECTIONAL:	DLS
EPREL_DISPLACEMENT_FACTOR:	0.96
EPREL_ENERGY_CLASS:	F
EPREL_ENERGY_CONS_ON_MODE:	50
EPREL_ENVELOPE:	NO
EPREL_FLICKER_METRIC:	0.0
EPREL_HIGH_LUMINANCE_LIGHT_SOURCE:	true
EPREL_LIGHTING_TECHNOLOGY:	LED
EPREL_LUMEN_MAINTENANCE_FACTOR:	0.96
EPREL_LUMINOUS_FLUX:	5300
EPREL_MAINS:	MLS
EPREL_MAX_BEAM_ANGLE:	40
EPREL_MAX_COLOUR_RENDERING_INDEX:	93
EPREL_MIN_BEAM_ANGLE:	40
EPREL_MIN_COLOUR_RENDERING_INDEX:	90
EPREL_PEAK_LUMINOUS_INTENSITY:	6400

Merkmal	Wert
EPREL_POWER_ON_MODE:	50.0
EPREL_POWER_STANDBY:	0.00
EPREL_R9_COLOUR_RENDERING_INDEX:	52
EPREL_REGISTRANT_NATURE:	MANUFACTURER
EPREL_STROBOSCOPIC_EFFECT_METRIC:	0.0
EPREL_SURVIVAL_FACTOR:	0.96
Grösse:	1150*65
Lichtfarbe:	neutralweiss
Lichtfarbe in Kelvin:	4000
Lumen:	7200
Schutzklasse:	IP20
Sockel:	3Phasen
Gewicht:	1 Kg
Garantie:	24.00 Monate

Weitere Bilder



