



Synergy 21 LED Flex Strip 60 WW DC12V 72W IP68



kwh/1000h:	75,00
Lumens:	4300
Watt:	75,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



LED Flex Strip warm white,
DC12V, max. 6A, 72W,
300Leds, 120°, 5050SMD
Length: 5000*12.9*4.8mm,
Lumen: 4300
3000K
brown PCB
without adhesive tape
outdoor
Suitable down to -25°C!

Energy efficiency class: A
kWh/1000h: 75


Please note that LED strips also need to be cooled.
Make sure that the LED strip does not exceed an operating temperature of 40°C, otherwise the service life cannot be guaranteed.

Attributes

Attribute	Value
Abstrahlwinkel:	120

Attribute	Value
Ampere:	6
CC oder CV:	CV
CRI:	>80
Dimmbar:	abhängig vom Netzteil
Länge:	5
LED Strip Klebeband:	nein
LED Strip Breite:	12.90
LED Strip Höhe:	5
LED Strip Klebeband:	nein
LED Strip kürzbar:	50
LED Strip Länge:	5000
Lichtfabe in Kelvin:	3000
Lichtfarbe:	warmweiß
Lichtfarbe in Kelvin:	3000
Lichtfarbe Name:	warmweiß
Lumen:	4300
Schutzklasse:	IP68
Volt:	12
Weight:	0.168 Kg
Warranty:	24.00 Months

Additional Images



Accessories

Part No.	Name
81069	Synergy 21 LED zub Hollow Socket with Screw Terminals
81068	Synergy 21 LED zub wooden plug with screw terminals
81741	Synergy 21 LED Flex Strip add. Silicone mounting clip 10 pack
148726	Synergy 21 - Waterproof connector 1:1
148727	Synergy 21 - Waterproof connector 1:2
148730	Synergy 21 - Waterproof connector box 3 ports

Part No.	Name
148729	Synergy 21 - Waterproof connector box 3 ports transparent
148728	Synergy 21 - Waterproof connector box 4 ports
139522	Mean Well power supply - 12V 120W IP67