


Synergy 21 LED Panel Rund 6W RGB-WW (RGB-CCT) with Funk and WLAN black* Milight/Miboxer*



kwh/1000h:	6,00
Lumens:	590
Watt:	6,0
Nominal Service Life:	35000 Std.
Switching Cycles:	50000
Opt. Ambient Temperature.:	25 °C



Our LED round panel RGB+CCT offers a modern and flexible lighting solution that fits perfectly into any home. With an output of 6W and a voltage of AC86-265V / 50-60Hz (power supply unit included), this panel provides efficient and reliable lighting. Thanks to the wide colour temperature range of 2700-6500K, you can adjust the lighting mood as required - from warm white to cool white.

The control of the LED panel is user-friendly. You have the choice between a wireless remote control or a WLAN controller, both of which are available separately. These options allow you to conveniently control the panel via iOS and Android devices, giving you full control over your lighting.

With a luminous flux of 550-600LM and a luminous efficiency of 85LM/W, the panel provides bright and even illumination. The high colour rendering index (CRI) of over 80 guarantees a natural and vivid colour representation, while the wide beam angle of 120° ensures generous light distribution.

The panel is made of robust aluminium and a durable PC cover, which ensures high quality and durability. With a size of 118*38mm and a hole diameter of 90-95mm, the panel is easy to install and fits perfectly into existing ceiling cut-outs.

The energy efficiency class F and a power consumption of 6 kWh/1000h make the LED panel an environmentally friendly choice. It has a power factor (PF) of over 0.5 and a control range of up to 30 metres, which enables flexible and convenient control.

Choose our LED round panel RGB+CCT and experience a versatile, energy-efficient and easy-to-control lighting solution for your home. Whether you want to create a cosy ambience or a bright working environment - this panel offers you all the possibilities.


Round panel RGB+CCT
Controllable with wireless remote control and/or WLAN controller for iOS and Android, both available separately, see accessories
Power: 6W
Voltage: AC86-265V / 50-60Hz (power supply unit included)
Housing: black
Kelvin: 2700-6500K
Luminous Flux: 550-600LM
Luminous Efficiency: 85LM/W
CRI: >80
Beam Angle: 120°
PF: >0.5
Material: Aluminium +PC Cover
Control Distance: 30m
Size: F118*38mm
Hole Size: 90-95mm

Energy efficiency class: F
kWh/1000h: 6

Attributes

Attribute	Value
Abstrahlwinkel:	120
CRI:	>80
Dimmbar:	Ja
Grösse:	118*38
LED - Gehäusefarbe:	weiß
LED - Gehäusematerial:	Aluminium
Lichtfarbe:	RGB-WW
Lichtfarbe in Kelvin:	2700~6500
Lumen:	550-600
Volt:	230
Weight:	0.244 Kg
Warranty:	24.00 Months

Additional Images



Accessories

Part No.	Name
147981	Synergy 21 LED remote RGB-WW (RGB-CCT) 8 zones *Milight/Miboxer*
147982	Synergy 21 LED remote RGB-WW (RGB-CCT) 4 zones *Milight/Miboxer*
148005	Synergy 21 LED remote smart panel RGB-WW (RGB-CCT) 4 zones *Milight/Miboxer*
148006	Synergy 21 LED remote smart panel RGB-WW (RGB-CCT) 8 zones *Milight/Miboxer*
181054	Synergy 21 LED remote WLAN controller *Milight/Miboxer*